

Chapter F11

Sparse Linear Algebra

Contents

1	Scope of the Chapter	2
2	Background to the Problems	2
2.1	Sparse Matrices and Their Storage	2
2.1.1	Coordinate storage (CS) format	2
2.1.2	Symmetric coordinate storage (SCS) format	3
2.2	Direct Methods	3
2.3	Iterative Methods	3
2.4	Iterative Methods for Real Nonsymmetric and Complex Non-Hermitian Linear Systems .	4
2.5	Iterative Methods for Real Symmetric and Complex Hermitian Linear Systems	5
3	Recommendations on Choice and Use of Available Routines	6
3.1	Types of Routine Available	6
3.2	Iterative Methods for Real Nonsymmetric and Complex Non-Hermitian Linear Systems .	7
3.3	Iterative Methods for Real Symmetric and Complex Hermitian Linear Systems	7
3.4	Direct Methods	8
4	Index	9
5	Routines Withdrawn or Scheduled for Withdrawal	10
6	References	10

1 Scope of the Chapter

This chapter provides routines for the solution of large sparse systems of simultaneous linear equations. These include **iterative** methods for real nonsymmetric and symmetric, complex non-Hermitian and Hermitian linear systems. Some further direct methods are currently available in Chapter F01 and Chapter F04, and will be added to this chapter at future marks.

For a wider selection of routines for sparse linear algebra, users are referred to the Harwell Sparse Matrix Library (available from NAG), especially for direct methods for solving linear systems (see Section 2.2).

2 Background to the Problems

This section is only a brief introduction to the solution of sparse linear systems. For a more detailed discussion see for example Duff *et al.* [2] for direct methods, or Barrett *et al.* [1] for iterative methods.

2.1 Sparse Matrices and Their Storage

A matrix A may be described as **sparse** if the number of zero elements is sufficiently large that it is worthwhile using algorithms which avoid computations involving zero elements.

If A is sparse, and the chosen algorithm requires the matrix coefficients to be stored, a significant saving in storage can often be made by storing only the non-zero elements. A number of different formats may be used to represent sparse matrices economically. These differ according to the amount of storage required, the amount of indirect addressing required for fundamental operations such as matrix–vector products, and their suitability for vector and/or parallel architectures. For a survey of some of these storage formats see Barrett *et al.* [1].

Some of the routines in this chapter have been designed to be independent of the matrix storage format. This allows users to choose their own preferred format, or to avoid storing the matrix altogether. Other routines are the so-called **black-boxes**, which are easier to use, but are based on fixed storage formats. Two such formats are currently provided. These are known as coordinate storage (CS) format and symmetric coordinate storage (SCS) format.

2.1.1 Coordinate storage (CS) format

This storage format represents a sparse nonsymmetric matrix A , with NNZ non-zero elements, in terms of three one-dimensional arrays — a real or complex array A and two integer arrays IROW and ICOL. These arrays are all of dimension at least NNZ. A contains the non-zero elements themselves, while IROW and ICOL store the corresponding row and column indices respectively.

For example, the matrix

$$A = \begin{pmatrix} 1 & 2 & -1 & -1 & -3 \\ 0 & -1 & 0 & 0 & -4 \\ 3 & 0 & 0 & 0 & 2 \\ 2 & 0 & 4 & 1 & 1 \\ -2 & 0 & 0 & 0 & 1 \end{pmatrix}$$

might be represented in the arrays A , IROW and ICOL as

$$A = (1, 2, -1, -1, -3, -1, -4, 3, 2, 2, 4, 1, 1, -2, 1)$$

$$\text{IROW} = (1, 1, 1, 1, 1, 2, 2, 3, 3, 4, 4, 4, 5, 5)$$

$$\text{ICOL} = (1, 2, 3, 4, 5, 2, 5, 1, 5, 1, 3, 4, 5, 1, 5).$$

Notes

- (i) The general format specifies no ordering of the array elements, but some routines may impose a specific ordering. For example, the non-zero elements may be required to be ordered by increasing row index and by increasing column index within each row, as in the example above. A utility routine is provided to order the elements appropriately.
- (ii) With this storage format it is possible to enter duplicate elements. These may be interpreted in various ways (raising an error, ignoring all but the first entry, all but the last, or summing, for example).

2.1.2 Symmetric coordinate storage (SCS) format

This storage format is suitable for symmetric and Hermitian matrices, and is identical to the CS format described in Section 2.1.1, except that only the lower triangular non-zero elements are stored. Thus, for example, the matrix

$$A = \begin{pmatrix} 4 & 1 & 0 & 0 & -1 & 2 \\ 1 & 5 & 0 & 2 & 0 & 0 \\ 0 & 0 & 2 & 1 & 0 & -1 \\ 0 & 2 & 1 & 3 & 1 & 0 \\ -1 & 0 & 0 & 1 & 4 & 0 \\ 2 & 0 & -1 & 0 & 0 & 3 \end{pmatrix}$$

might be represented in the arrays A, IROW and ICOL as

$$\begin{aligned} A &= (4,1,5,2,2,1,3,-1,1,4,2,-1,3) \\ \text{IROW} &= (1,2,2,3,4,4,4,5,5,6,6,6) \\ \text{ICOL} &= (1,1,2,3,2,3,4,1,4,5,1,3,6). \end{aligned}$$

2.2 Direct Methods

Direct methods for the solution of the linear algebraic system

$$Ax = b \tag{1}$$

aim to determine the solution vector x in a fixed number of arithmetic operations, which is determined a priori by the number of unknowns. For example, an LU factorization of A followed by forward and backward substitution is a direct method for (1).

If the matrix A is sparse it is possible to design direct methods which exploit the sparsity pattern and are therefore much more computationally efficient than the algorithms in Chapter F07, which in general take no account of sparsity. However, if the matrix is very large and sparse, then **iterative** methods (see Section 2.3) are generally more efficient still.

This chapter currently provides direct methods for sparse real nonsymmetric, complex non-Hermitian, real symmetric positive-definite and complex Hermitian positive-definite systems. Further direct methods may be found in Chapter F01, Chapter F04 and Chapter F07, and will be introduced into Chapter F11 at a future mark. For more details see Section 3.4.

2.3 Iterative Methods

In contrast to the direct methods discussed in Section 2.2, **iterative** methods for (1) approach the solution through a sequence of approximations until some user-specified termination criterion is met or until some predefined maximum number of iterations has been reached. The number of iterations required for convergence is not generally known in advance, as it depends on the accuracy required, and on the matrix A — its sparsity pattern, conditioning and eigenvalue spectrum.

Faster convergence can often be achieved using a **preconditioner** (Golub and Van Loan [5], Barrett *et al.* [1]). A preconditioner maps the original system of equations onto a different system

$$\bar{A}\bar{x} = \bar{b}, \tag{2}$$

which hopefully exhibits better convergence characteristics: for example, the condition number of the matrix \bar{A} may be better than that of A , or it may have eigenvalues of greater multiplicity.

An unsuitable preconditioner or no preconditioning at all may result in a very slow rate or lack of convergence. However, preconditioning involves a trade-off between the reduction in the number of iterations required for convergence and the additional computational costs per iteration. Also, setting up a preconditioner may involve non-negligible overheads. The application of preconditioners to real nonsymmetric, complex non-Hermitian, real symmetric and complex Hermitian systems of equations is further considered in Section 2.4 and Section 2.5.

2.4 Iterative Methods for Real Nonsymmetric and Complex Non-Hermitian Linear Systems

Many of the most effective iterative methods for the solution of (1) lie in the class of non-stationary **Krylov subspace methods** [1]. For real nonsymmetric and complex non-Hermitian matrices this class includes:

- the restarted generalized minimum residual (RGMRES) method [10];
- the conjugate gradient squared (CGS) method [12];
- the polynomial stabilized bi-conjugate gradient (Bi-CGSTAB (ℓ)) method [13], [11];
- the transpose-free quasi-minimal residual method (TFQMR) [3], [4].

Here we just give a brief overview of these algorithms as implemented in Chapter F11. For full details see the routine documents for F11BDF and F11BRF.

RGMRES is based on the Arnoldi method, which explicitly generates an orthogonal basis for the Krylov subspace $\text{span}\{A^k r_0\}$, $k = 0, 1, 2, \dots$, where r_0 is the initial residual. The solution is then expanded onto the orthogonal basis so as to minimize the residual norm. For real nonsymmetric and complex non-Hermitian matrices the generation of the basis requires a ‘long’ recurrence relation, resulting in prohibitive computational and storage costs. RGMRES limits these costs by restarting the Arnoldi process from the latest available residual every m iterations. The value of m is chosen in advance and is fixed throughout the computation. Unfortunately, an optimum value of m cannot easily be predicted.

CGS is a development of the bi-conjugate gradient method where the nonsymmetric Lanczos method is applied to reduce the coefficient matrix to tridiagonal form: two bi-orthogonal sequences of vectors are generated starting from the initial residual r_0 and from the *shadow residual* \hat{r}_0 corresponding to the arbitrary problem $A^H \hat{x} = \hat{b}$, where \hat{b} is chosen so that $r_0 = \hat{r}_0$. In the course of the iteration, the residual and shadow residual $r_i = P_i(A)r_0$ and $\hat{r}_i = P_i(A^H)\hat{r}_0$ are generated, where P_i is a polynomial of order i , and bi-orthogonality is exploited by computing the vector product $\rho_i = (\hat{r}_i, r_i) = (P_i(A^H)\hat{r}_0, P_i(A)r_0) = (\hat{r}_0, P_i^2(A)r_0)$. Applying the ‘contraction’ operator $P_i(A)$ twice, the iteration coefficients can still be recovered without advancing the solution of the shadow problem, which is of no interest. The CGS method often provides fast convergence; however, there is no reason why the contraction operator should also reduce the once reduced vector $P_i(A)r_0$: this can lead to a highly irregular convergence.

Bi-CGSTAB (ℓ) is similar to the CGS method. However, instead of generating the sequence $\{P_i^2(A)r_0\}$, it generates the sequence $\{Q_i(A)P_i(A)r_0\}$ where the $Q_i(A)$ are polynomials chosen to minimize the residual *after* the application of the contraction operator $P_i(A)$. Two main steps can be identified for each iteration: an OR (Orthogonal Residuals) step where a basis of order ℓ is generated by a Bi-CG iteration and an MR (Minimum Residuals) step where the residual is minimized over the basis generated, by a method akin to GMRES. For $\ell = 1$, the method corresponds to the Bi-CGSTAB method of van der Vorst [13]. For $\ell > 1$, more information about complex eigenvalues of the iteration matrix can be taken into account, and this may lead to improved convergence and robustness. However, as ℓ increases, numerical instabilities may arise.

The transpose-free quasi-minimal residual method (TFQMR) (Freund and Nachtigal [3], Freund [4]) is conceptually derived from the CGS method. The residual is minimised over the space of the residual vectors generated by the CGS iterations under the simplifying assumption that residuals are almost orthogonal. In practice, this is not the case but theoretical analysis has proved the validity of the method. This has the effect of remedying the rather irregular convergence behaviour with wild oscillations in the residual norm that can degrade the numerical performance and robustness of the CGS method. In general, the TFQMR method can be expected to converge at least as fast as the CGS method, in terms of number of iterations, although each iteration involves a higher operation count. When the CGS method exhibits irregular convergence, the TFQMR method can produce much smoother, almost monotonic convergence curves. However, the close relationship between the CGS and TFQMR method implies that the *overall* speed of convergence is similar for both methods. In some cases, the TFQMR method may converge faster than the CGS method.

Faster convergence can usually be achieved by using a **preconditioner**. A *left* preconditioner M^{-1} can be used by the RGMRES, CGS and TFQMR methods, such that $\bar{A} = M^{-1}A \sim I_n$ in (2), where I_n is the identity matrix of order n ; a *right* preconditioner M^{-1} can be used by the Bi-CGSTAB (ℓ) method, such

that $\bar{A} = AM^{-1} \sim I_n$. These are formal definitions, used only in the design of the algorithms; in practice, only the means to compute the matrix–vector products $v = Au$ and $v = A^H u$ (the latter only being required when an estimate of $\|A\|_1$ or $\|A\|_\infty$ is computed internally), and to solve the preconditioning equations $Mv = u$ are required, that is, explicit information about M , or its inverse is not required at any stage.

Preconditioning matrices M are typically based on incomplete factorizations [8], or on the approximate inverses occurring in stationary iterative methods (see Young [14]). A common example is the **incomplete LU factorization**

$$M = PLDUQ = A - R$$

where L is lower triangular with unit diagonal elements, D is diagonal, U is upper triangular with unit diagonals, P and Q are permutation matrices, and R is a remainder matrix. A **zero-fill** incomplete LU factorization is one for which the matrix

$$S = P(L + D + U)Q$$

has the same pattern of non-zero entries as A . This is obtained by discarding any **fill** elements (non-zero elements of S arising during the factorization in locations where A has zero elements). Allowing some of these fill elements to be kept rather than discarded generally increases the accuracy of the factorization at the expense of some loss of sparsity. For further details see [1].

2.5 Iterative Methods for Real Symmetric and Complex Hermitian Linear Systems

Two of the best known iterative methods applicable to real symmetric and complex Hermitian linear systems are the conjugate gradient (CG) method [6], [5] and a Lanczos type method based on SYMMLQ [9]. The description of these methods given below is for the real symmetric case. The generalization to complex Hermitian matrices is straightforward.

For the CG method the matrix A should ideally be positive-definite. The application of CG to indefinite matrices may lead to failure, or to lack of convergence. The SYMMLQ method is suitable for both positive-definite and indefinite symmetric matrices. It is more robust than CG, but less efficient when A is positive-definite.

Both methods start from the residual $r_0 = b - Ax_0$, where x_0 is an initial estimate for the solution (often $x_0 = 0$), and generate an orthogonal basis for the Krylov subspace $\text{span}\{A^k r_0\}$, for $k = 0, 1, \dots$, by means of three-term recurrence relations (Golub and Van Loan [5]). A sequence of symmetric tridiagonal matrices $\{T_k\}$ is also generated. Here and in the following, the index k denotes the iteration count. The resulting symmetric tridiagonal systems of equations are usually more easily solved than the original problem. A sequence of solution iterates $\{x_k\}$ is thus generated such that the sequence of the norms of the residuals $\{\|r_k\|\}$ converges to a required tolerance. Note that, in general, the convergence is not monotonic.

In exact arithmetic, after n iterations, this process is equivalent to an orthogonal reduction of A to symmetric tridiagonal form, $T_n = Q^T A Q$; the solution x_n would thus achieve exact convergence. In finite-precision arithmetic, cancellation and round-off errors accumulate causing loss of orthogonality. These methods must therefore be viewed as genuinely iterative methods, able to converge to a solution **within a prescribed tolerance**.

The orthogonal basis is not formed explicitly in either method. The basic difference between the two methods lies in the method of solution of the resulting symmetric tridiagonal systems of equations: the CG method is equivalent to carrying out an LDL^T (Cholesky) factorization whereas the Lanczos method (SYMMLQ) uses an LQ factorization.

A preconditioner for these methods must be **symmetric and positive-definite**, i.e., representable by $M = EE^T$, where M is non-singular, and such that $\bar{A} = E^{-1}AE^{-T} \sim I_n$ in (2), where I_n is the identity matrix of order n . These are formal definitions, used only in the design of the algorithms; in practice, only the means to compute the matrix-vector products $v = Au$ and to solve the preconditioning equations $Mv = u$ are required.

Preconditioning matrices M are typically based on incomplete factorizations [7], or on the approximate inverses occurring in stationary iterative methods (see Young [14]). A common example is the **incomplete**

Cholesky factorization

$$M = PLDL^T P^T = A - R$$

where P is a permutation matrix, L is lower triangular with unit diagonal elements, D is diagonal and R is a remainder matrix. A **zero-fill** incomplete Cholesky factorization is one for which the matrix

$$S = P(L + D + L^T)P^T$$

has the same pattern of non-zero entries as A . This is obtained by discarding any **fill** elements (non-zero elements of S arising during the factorization in locations where A has zero elements). Allowing some of these fill elements to be kept rather than discarded generally increases the accuracy of the factorization at the expense of some loss of sparsity. For further details see [1].

3 Recommendations on Choice and Use of Available Routines

Note. Refer to the Users' Note for your implementation to check that a routine is available.

3.1 Types of Routine Available

The routines available in this chapter divide essentially into three types: basic routines, utility routines and black-box routines.

Basic routines are grouped in suites of three, and implement the underlying iterative method. Each suite comprises a set-up routine, a solver, and a routine to return additional information. The solver routine is independent of the matrix storage format (indeed the matrix need not be stored at all) and the type of preconditioner. It uses **reverse communication**, i.e., it returns repeatedly to the calling program with the parameter IREVCM set to specified values which require the calling program to carry out a specific task (either to compute a matrix-vector product or to solve the preconditioning equation), to signal the completion of the computation or to allow the calling program to monitor the solution. Reverse communication has the following advantages.

- (i) Maximum flexibility in the representation and storage of sparse matrices. All matrix operations are performed outside the solver routine, thereby avoiding the need for a complicated interface with enough flexibility to cope with all types of storage schemes and sparsity patterns. This also applies to preconditioners.
- (ii) Enhanced user interaction: the progress of the solution can be closely monitored by the user and tidy or immediate termination can be requested. This is useful, for example, when alternative termination criteria are to be employed or in case of failure of the external routines used to perform matrix operations.

At present there are suites of basic routines for real symmetric and nonsymmetric systems, and for complex non-Hermitian systems.

Utility routines perform such tasks as initializing the preconditioning matrix M , solving linear systems involving M , or computing matrix-vector products, for particular preconditioners and matrix storage formats. Used in combination, basic routines and utility routines therefore provide iterative methods with a considerable degree of flexibility, allowing the user to select from different termination criteria, monitor the approximate solution, and compute various diagnostic parameters. The tasks of computing the matrix-vector products and dealing with the preconditioner are removed from the user, but at the expense of sacrificing some flexibility in the choice of preconditioner and matrix storage format.

Black-box routines call basic and utility routines in order to provide easy-to-use routines for particular preconditioners and sparse matrix storage formats. They are much less flexible than the basic routines, but do not use reverse communication, and may be suitable in many simple cases.

The structure of this chapter has been designed to cater for as many types of application as possible. If a black-box routine exists which is suitable for a given application you are recommended to use it. If you then decide you need some additional flexibility it is easy to achieve this by using basic and utility routines which reproduce the algorithm used in the black-box, but allow more access to algorithmic control parameters and monitoring. If you wish to use a preconditioner or storage format for which no utility routines are provided, you must call basic routines, and provide your own utility routines.

3.2 Iterative Methods for Real Nonsymmetric and Complex Non-Hermitian Linear Systems

The suite of basic routines F11BDF, F11BEF and F11BFF implements either RGMRES, CGS, Bi-CGSTAB(ℓ), or TFQMR, for the iterative solution of the real sparse nonsymmetric linear system $Ax = b$. These routines allow a choice of termination criteria and the norms used in them, allow monitoring of the approximate solution, and can return estimates of the norm of A and the largest singular value of the preconditioned matrix \bar{A} .

In general, it is not possible to recommend one of these methods in preference to another. RGMRES is popular, but requires the most storage, and can easily stagnate when the size m of the orthogonal basis is too small, or the preconditioner is not good enough. CGS can be the fastest method, but the computed residuals can exhibit instability which may greatly affect the convergence and quality of the solution. Bi-CGSTAB(ℓ) seems robust and reliable, but it can be slower than the other methods. TFQMR can be viewed as a more robust variant of the CGS method: it shares the CGS method speed but avoids the CGS fluctuations in the residual, which may give rise to instability. Some further discussion of the relative merits of these methods can be found in [1].

The utility routines provided for real nonsymmetric matrices use the co-ordinate storage (CS) format described in Section 2.1.1. F11DAF computes a preconditioning matrix based on incomplete LU factorization, and F11DBF solves linear systems involving the preconditioner generated by F11DAF. The amount of fill-in occurring in the incomplete factorization can be controlled by specifying either the level of fill, or the drop tolerance. Partial or complete pivoting may optionally be employed, and the factorization can be modified to preserve row-sums.

F11DDF is similar to F11DBF, but solves linear systems involving the preconditioner corresponding to symmetric successive-over-relaxation (SSOR). The value of the relaxation parameter ω must currently be supplied by the user. Automatic procedures for choosing ω will be included in the chapter at a future mark.

F11XAF computes matrix-vector products for real nonsymmetric matrices stored in ordered CS format. An additional utility routine F11ZAF orders the non-zero elements of a real sparse nonsymmetric matrix stored in general CS format.

The black-box routine F11DCF makes calls to F11BDF, F11BEF, F11BFF, F11DBF and F11XAF, to solve a real sparse nonsymmetric linear system, represented in CS format, using RGMRES, CGS, Bi-CGSTAB(ℓ), or TFQMR, with incomplete LU preconditioning. F11DEF is similar, but has options for no preconditioning, Jacobi preconditioning or SSOR preconditioning.

For complex non-Hermitian sparse matrices there is an equivalent suite of routines. F11BRF, F11BSF and F11BTF are the basic routines which implement the same methods used for real nonsymmetric systems, namely RGMRES, CGS, Bi-CGSTAB(ℓ) and TFQMR, for the solution of complex sparse non-Hermitian linear systems. F11DNF and F11DPF are the complex equivalents of F11DAF and F11DBF, respectively, providing facilities for implementing ILU preconditioning. F11DRF implements a complex version of the SSOR preconditioner. Utility routines F11XNF and F11ZNF are provided for computing matrix-vector products and sorting the elements of complex sparse non-Hermitian matrices, respectively. Finally, the black-box routines F11DQF and F11DSF are complex equivalents of F11DCF and F11DEF.

3.3 Iterative Methods for Real Symmetric and Complex Hermitian Linear Systems

The suite of basic routines F11GAF, F11GBF and F11GCF implement either the conjugate gradient (CG) method, or a Lanczos method based on SYMMLQ, for the iterative solution of the real sparse symmetric linear system $Ax = b$. If A is known to be positive-definite the CG method should be chosen; the Lanczos method is more robust but less efficient for positive-definite matrices. These routines allow a choice of termination criteria and the norms used in them, allow monitoring of the approximate solution, and can return estimates of the norm of A and the largest singular value of the preconditioned matrix \bar{A} .

The utility routines provided for real symmetric matrices use the symmetric co-ordinate storage (SCS) format described in Section 2.1.2. F11JAF computes a preconditioning matrix based on incomplete Cholesky factorization, and F11JBF solves linear systems involving the preconditioner generated by F11JAF. The amount of fill-in occurring in the incomplete factorization can be controlled by specifying

either the level of fill, or the drop tolerance. Diagonal Markowitz pivoting may optionally be employed, and the factorization can be modified to preserve row-sums.

F11JDF is similar to F11JBF, but solves linear systems involving the preconditioner corresponding to symmetric successive-over-relaxation (SSOR). The value of the relaxation parameter ω must currently be supplied by the user. Automatic procedures for choosing ω will be included in the chapter at a future mark.

F11XEF computes matrix-vector products for real symmetric matrices stored in ordered SCS format. An additional utility routine F11ZBF orders the non-zero elements of a real sparse symmetric matrix stored in general SCS format.

The black-box routine F11JCF makes calls to F11GAF, F11GBF, F11GCF, F11JBF and F11XEF, to solve a real sparse symmetric linear system, represented in SCS format, using a conjugate gradient or Lanczos method, with incomplete Cholesky preconditioning. F11JEF is similar, but has options for no preconditioning, Jacobi preconditioning or SSOR preconditioning.

For complex Hermitian sparse matrices there is an equivalent suite of utility and black-box routines, although the basic routines are not available at this Mark. F11JNF and F11JPF are the complex equivalents of F11JAF and F11JBF, respectively, providing facilities for implementing incomplete Cholesky preconditioning. F11JRF implements a complex version of the SSOR preconditioner. Utility routines F11XSF and F11ZPF are provided for computing matrix-vector products and sorting the elements of complex sparse Hermitian matrices, respectively. Finally, the black-box routines F11JQF and F11JSF provide easy-to-use implementations of the CG and SYMMLQ methods for complex Hermitian linear systems.

3.4 Direct Methods

Chapter F11 does not currently provide any routines **specifically** designed for direct solution of sparse linear systems. However, the arguments of the various preconditioner generation routines can be chosen in such a way as to produce a direct solution.

For example, routine F11DBF solves a linear system involving the incomplete LU preconditioning matrix

$$M = PLDUQ = A - R$$

generated by F11DAF, where P and Q are permutation matrices, L is lower triangular with unit diagonal elements, U is upper triangular with unit diagonal elements, D is diagonal and R is a remainder matrix.

If A is non-singular, a call to F11DAF with LFILL < 0 and DTOL = 0.0 results in a zero remainder matrix R and a **complete** factorization. A subsequent call to F11DBF will therefore result in a direct method for real sparse nonsymmetric systems.

If A is known to be symmetric positive-definite, F11JAF and F11JBF may similarly be used to give a direct solution. For further details see Section 8.4 of the document for F11JAF.

Complex non-Hermitian systems can be solved directly in the same way using F11DNF and F11DPF, while for complex Hermitian systems F11JNF and F11JPF may be used.

Some routines specifically designed for direct solution of sparse linear systems can currently be found in Chapter F01, Chapter F04 and Chapter F07. In particular, the following routines allow the direct solution of nonsymmetric systems:

Band	F07BDF and F07BEF
Almost block-diagonal	F01LHF and F04LHF
Tridiagonal	F01LEF and F04LEF or F04EAF
Sparse	F01BRF (or F01BSF) and F04AXF

and the following routines allow the direct solution of symmetric positive-definite systems:

Band	F07HDF and F07HEF
Variable band (skyline)	F01MCF and F04MCF
Tridiagonal	F04FAF

4 Index

Basic routines for real nonsymmetric linear systems	
set-up routine	F11BDF
reverse communication RGMRES, CGS, Bi-CGSTAB(ℓ) or TFQMR solver routine	F11BEF
diagnostic routine	F11BFF
Basic routines for complex non-Hermitian linear systems	
set-up routine	F11BRF
reverse communication RGMRES, CGS, Bi-CGSTAB(ℓ) or TFQMR solver routine	F11BSF
diagnostic routine	F11BTF
Black-box routines for real nonsymmetric linear systems	
RGMRES, CGS, Bi-CGSTAB(ℓ) or TFQMR solver with incomplete LU preconditioning	F11DCF
RGMRES, CGS, Bi-CGSTAB(ℓ) or TFQMR solver with no preconditioning, Jacobi, or SSOR preconditioning	F11DEF
Black-box routines for complex non-Hermitian linear systems	
RGMRES, CGS, Bi-CGSTAB(ℓ) or TFQMR solver with incomplete LU preconditioning	F11DQF
RGMRES, CGS, Bi-CGSTAB(ℓ) or TFQMR solver with no preconditioning, Jacobi, or SSOR preconditioning	F11DSF
Utility routines for real nonsymmetric linear systems	
incomplete LU factorization	F11DAF
solver for linear systems involving preconditioning matrix from F11DAF	F11DBF
solver for linear systems involving SSOR preconditioning matrix	F11DDF
matrix-vector multiplier for real nonsymmetric matrices in CS format	F11XAF
sort routine for real nonsymmetric matrices in CS format	F11ZAF
Utility routines for complex non-Hermitian linear systems	
incomplete LU factorization	F11DNF
solver for linear systems involving preconditioning matrix from F11DNF	F11DPF
solver for linear systems involving SSOR preconditioning matrix	F11DRF
matrix-vector multiplier for complex non-Hermitian matrices in CS format	F11XNF
sort routine for complex non-Hermitian matrices in CS format	F11ZNF
Basic routines for real symmetric linear systems	
set-up routine	F11GAF
reverse communication CG or SYMMLQ solver routine	F11GBF
diagnostic routine	F11GCF
Black-box routines for real symmetric linear systems	
CG or SYMMLQ solver with incomplete Cholesky preconditioning	F11JCF
CG or SYMMLQ solver with no preconditioning, Jacobi, or SSOR preconditioning	F11JEF
Black-box routines for complex Hermitian linear systems	
CG or SYMMLQ solver with incomplete Cholesky preconditioning	F11JQF
CG or SYMMLQ solver with no preconditioning, Jacobi, or SSOR preconditioning	F11JSF
Utility routines for real symmetric linear systems	
incomplete Cholesky factorization	F11JAF
solver for linear systems involving preconditioning matrix from F11JAF	F11JBF
solver for linear systems involving SSOR preconditioning matrix	F11JDF
matrix-vector multiplier for real symmetric matrices in SCS format	F11XEF
sort routine for real symmetric matrices in SCS format	F11ZBF
Utility routines for complex Hermitian linear systems	
incomplete Cholesky factorization	F11JNF
solver for linear systems involving preconditioning matrix from F11JNF	F11JPF
solver for linear systems involving SSOR preconditioning matrix	F11JRF
matrix-vector multiplier for complex Hermitian matrices in SCS format	F11XSF
sort routine for complex Hermitian matrices in SCS format	F11ZPF

5 Routines Withdrawn or Scheduled for Withdrawal

Since Mark 13 the following routines have either been withdrawn or superseded. Those routines indicated by a dagger are still present at Mark 19, but will be omitted at a future date. Advice on replacing calls to these routines is given in the document ‘Advice on Replacement Calls for Withdrawn/Superseded Routines’.

F11BAF† F11BBF† F11BCF†

6 References

- [1] Barrett R, Berry M, Chan T F, Demmel J, Donato J, Dongarra J, Eijkhout V, Pozo R, Romine C and van der Vorst H (1994) *Templates for the Solution of Linear Systems: Building Blocks for Iterative Methods* SIAM, Philadelphia
 - [2] Duff I S, Erisman A M, Reid J K (1986) *Direct Methods for Sparse Matrices* Oxford University Press, London
 - [3] Freund R W and Nachtigal N (1991) QMR: a Quasi-Minimal Residual Method for Non-Hermitian Linear Systems *Numer. Math.* **60** 315–339
 - [4] Freund R W (1993) A Transpose-Free Quasi-Minimal Residual Algorithm for Non-Hermitian Linear Systems *SIAM J. Sci. Comput.* **14** 470–482
 - [5] Golub G H and Van Loan C F (1996) *Matrix Computations* Johns Hopkins University Press (3rd Edition), Baltimore
 - [6] Hestenes M and Stiefel E (1952) Methods of conjugate gradients for solving linear systems *J. Res. Nat. Bur. Stand.* **49** 409–436
 - [7] Meijerink J and van der Vorst H (1977) An iterative solution method for linear systems of which the coefficient matrix is a symmetric M-matrix *Math. Comput.* **31** 148–162
 - [8] Meijerink J and van der Vorst H (1981) Guidelines for the usage of incomplete decompositions in solving sets of linear equations as they occur in practical problems *J. Comput. Phys.* **44** 134–155
 - [9] Paige C C and Saunders M A (1975) Solution of sparse indefinite systems of linear equations *SIAM J. Numer. Anal.* **12** 617–629
 - [10] Saad Y and Schultz M (1986) GMRES: A generalized minimal residual algorithm for solving nonsymmetric linear systems *SIAM J. Sci. Statist. Comput.* **7** 856–869
 - [11] Sleijpen G L G and Fokkema D R (1993) BiCGSTAB(ℓ) for linear equations involving matrices with complex spectrum *ETNA* **1** 11–32
 - [12] Sonneveld P (1989) CGS, a fast Lanczos-type solver for nonsymmetric linear systems *SIAM J. Sci. Statist. Comput.* **10** 36–52
 - [13] van der Vorst H (1989) Bi-CGSTAB, A fast and smoothly converging variant of Bi-CG for the solution of nonsymmetric linear systems *SIAM J. Sci. Statist. Comput.* **13** 631–644
 - [14] Young D (1971) *Iterative Solution of Large Linear Systems* Academic Press, New York
-