

NAG Library Routine Document

S15ACF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

S15ACF returns the value of the complement of the cumulative Normal distribution function, $Q(x)$, via the routine name.

2 Specification

double precision FUNCTION S15ACF(X, IFAIL)
 INTEGER IFAIL
double precision X

3 Description

S15ACF evaluates an approximate value for the complement of the cumulative Normal distribution function

$$Q(x) = \frac{1}{\sqrt{2\pi}} \int_x^{\infty} e^{-u^2/2} du.$$

The routine is based on the fact that

$$Q(x) = \frac{1}{2} \operatorname{erfc}\left(\frac{x}{\sqrt{2}}\right)$$

and it calls S15ADF to obtain the necessary value of *erfc*, the complementary error function.

4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

5 Parameters

1: X – *double precision* *Input*

On entry: the argument x of the function.

2: IFAIL – INTEGER *Input/Output*

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

There are no failure exits from this routine. The parameter IFAIL is included for consistency with other routines in this chapter.

7 Accuracy

Because of its close relationship with *erfc* the accuracy of this routine is very similar to that in S15ADF. If ϵ and δ are the relative errors in result and argument, respectively, then in principle they are related by

$$|\epsilon| \simeq \left| \frac{xe^{-x^2/2}}{\sqrt{2\pi}Q(x)} \delta \right|.$$

For x negative or small positive this factor is always less than one and accuracy is mainly limited by *machine precision*. For large positive x we find $\epsilon \sim x^2\delta$ and hence to a certain extent relative accuracy is unavoidably lost. However the absolute error in the result, E , is given by

$$|E| \simeq \left| \frac{xe^{-x^2/2}}{\sqrt{2\pi}} \delta \right|$$

and since this factor is always less than one absolute accuracy can be guaranteed for all x .

8 Further Comments

None.

9 Example

This example reads values of the argument x from a file, evaluates the function at each value of x and prints the results.

9.1 Program Text

```
*      S15ACF Example Program Text
*      Mark 14 Revised. NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER       (NIN=5,NOUT=6)
*      .. Local Scalars ..
      DOUBLE PRECISION X, Y
      INTEGER          IFAIL
*      .. External Functions ..
      DOUBLE PRECISION S15ACF
      EXTERNAL        S15ACF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'S15ACF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      WRITE (NOUT,*)
      WRITE (NOUT,*) '      X          Y'
      WRITE (NOUT,*)
20     READ (NIN,*,END=40) X
      IFAIL = 1
*
      Y = S15ACF(X,IFAIL)
*
      IF (IFAIL.GE.0) THEN
          WRITE (NOUT,99999) X, Y
          GO TO 20
      ELSE
          WRITE (NOUT,99998) IFAIL
      END IF
```

```
40 CONTINUE
*
99999 FORMAT (1X,1P,2E12.3)
99998 FORMAT (1X,' ** S15ACF returned with IFAIL = ',I5)
END
```

9.2 Program Data

```
S15ACF Example Program Data
-20.0
-1.0
0.0
1.0
2.0
20.0
```

9.3 Program Results

S15ACF Example Program Results

X	Y
-2.000E+01	1.000E+00
-1.000E+00	8.413E-01
0.000E+00	5.000E-01
1.000E+00	1.587E-01
2.000E+00	2.275E-02
2.000E+01	2.754E-89
