NAG Library Routine Document

S17AKF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of **bold italicised** terms and other implementation-dependent details.

1 Purpose

S17AKF returns a value for the derivative of the Airy function Bi(x), via the function name.

2 Specification

FUNCTION S17AKF (X, IFAIL)
REAL (KIND=nag_wp) S17AKF
INTEGER IFAIL
REAL (KIND=nag_wp) X

3 Description

S17AKF calculates an approximate value for the derivative of the Airy function Bi(x). It is based on a number of Chebyshev expansions.

For x < -5,

$$\operatorname{Bi}'(x) = \sqrt[4]{-x} \left[-a(t)\sin z + \frac{b(t)}{\zeta}\cos z \right],$$

where $z = \frac{\pi}{4} + \zeta$, $\zeta = \frac{2}{3}\sqrt{-x^3}$ and a(t) and b(t) are expansions in the variable $t = -2\left(\frac{5}{x}\right)^3 - 1$.

For $-5 \le x \le 0$,

$$Bi'(x) = \sqrt{3}(x^2 f(t) + g(t)),$$

where f and g are expansions in $t = -2\left(\frac{x}{5}\right)^3 - 1$.

For 0 < x < 4.5,

$$Bi'(x) = e^{3x/2}y(t),$$

where y(t) is an expansion in t = 4x/9 - 1.

For 4.5 < x < 9,

$$Bi'(x) = e^{21x/8}u(t),$$

where u(t) is an expansion in t = 4x/9 - 3.

For $x \geq 9$,

$$Bi'(x) = \sqrt[4]{x}e^z v(t),$$

where
$$z = \frac{2}{3}\sqrt{x^3}$$
 and $v(t)$ is an expansion in $t = 2\left(\frac{18}{z}\right) - 1$.

For |x| < the square of the *machine precision*, the result is set directly to Bi'(0). This saves time and avoids possible underflows in calculation.

For large negative arguments, it becomes impossible to calculate a result for the oscillating function with any accuracy so the routine must fail. This occurs for $x < -\left(\frac{\sqrt{\pi}}{\epsilon}\right)^{4/7}$, where ϵ is the *machine precision*.

Mark 25

S17AKF NAG Library Manual

For large positive arguments, where Bi' grows in an essentially exponential manner, there is a danger of overflow so the routine must fail.

4 References

Abramowitz M and Stegun I A (1972) Handbook of Mathematical Functions (3rd Edition) Dover Publications

5 Parameters

1: X - REAL (KIND=nag_wp)

Input

On entry: the argument x of the function.

2: IFAIL – INTEGER

Input/Output

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.

On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

X is too large and positive. On softfailure, the routine returns zero. (see the Users' Note for your implementation for details)

IFAIL = 2

X is too large and negative. On softfailure the routine returns zero. (see the Users' Note for your implementation for details)

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.8 in the Essential Introduction for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.7 in the Essential Introduction for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.6 in the Essential Introduction for further information.

S17AKF.2 Mark 25

7 Accuracy

For negative arguments the function is oscillatory and hence absolute error is appropriate. In the positive region the function has essentially exponential behaviour and hence relative error is needed. The absolute error, E, and the relative error ϵ , are related in principle to the relative error in the argument δ , by

$$E \simeq |x^2 \operatorname{Bi}(x)|\delta \quad \epsilon \simeq \left|\frac{x^2 \operatorname{Bi}(x)}{\operatorname{Bi}'(x)}\right|\delta.$$

In practice, approximate equality is the best that can be expected. When δ , ϵ or E is of the order of the **machine precision**, the errors in the result will be somewhat larger.

For small x, positive or negative, errors are strongly attenuated by the function and hence will effectively be bounded by the *machine precision*.

For moderate to large negative x, the error is, like the function, oscillatory. However, the amplitude of the absolute error grows like $\frac{|x|^{7/4}}{\sqrt{\pi}}$. Therefore it becomes impossible to calculate the function with any accuracy if $|x|^{7/4} > \frac{\sqrt{\pi}}{\delta}$.

For large positive x, the relative error amplification is considerable: $\frac{\epsilon}{\delta} \sim \sqrt{x^3}$. However, very large arguments are not possible due to the danger of overflow. Thus in practice the actual amplification that occurs is limited.

8 Parallelism and Performance

Not applicable.

9 Further Comments

None.

10 Example

This example reads values of the argument x from a file, evaluates the function at each value of x and prints the results.

10.1 Program Text

```
Program s17akfe
      S17AKF Example Program Text
      Mark 25 Release. NAG Copyright 2014.
      .. Use Statements ..
1
      Use nag_library, Only: nag_wp, s17akf
1
      .. Implicit None Statement ..
      Implicit None
      .. Parameters ..
1
                                        :: nin = 5, nout = 6
      Integer, Parameter
!
      .. Local Scalars ..
      Real (Kind=nag_wp)
                                        :: x, y
                                        :: ifail, ioerr
      Integer
      .. Executable Statements ..
!
      Write (nout,*) 'S17AKF Example Program Results'
      Skip heading in data file
     Read (nin,*)
      Write (nout,*)
```

Mark 25 S17AKF.3

S17AKF NAG Library Manual

```
Write (nout,*) ' X
                                    Υ'
     Write (nout,*)
data: Do
       Read (nin,*,Iostat=ioerr) x
       If (ioerr<0) Then
        Exit data
       End If
       ifail = -1
       y = s17akf(x,ifail)
       If (ifail<0) Then
        Exit data
       End If
       Write (nout,99999) x, y
     End Do data
99999 Format (1X,1P,2E12.3)
   End Program s17akfe
```

10.2 Program Data

```
S17AKF Example Program Data

-10.0

-1.0

0.0

1.0

5.0

10.0


20.0
```

10.3 Program Results

S17AKF Example Program Results

```
X Y
-1.000E+01 1.194E-01
-1.000E+00 5.924E-01
0.000E+00 4.483E-01
1.000E+00 9.324E-01
5.000E+00 1.436E+03
1.000E+01 1.429E+09
2.000E+01 9.382E+25
```

S17AKF.4 Mark 25



Mark 25 S17AKF.5 (last)