

NAG Library Routine Document

F07FPF (ZPOSVX)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F07FPF (ZPOSVX) uses the Cholesky factorization

$$A = U^H U \quad \text{or} \quad A = LL^H$$

to compute the solution to a complex system of linear equations

$$AX = B,$$

where A is an n by n Hermitian positive definite matrix and X and B are n by r matrices. Error bounds on the solution and a condition estimate are also provided.

2 Specification

```

SUBROUTINE F07FPF (FACT, UPLO, N, NRHS, A, LDA, AF, LDAF, EQUED, S, B,      &
                  LDB, X, LDX, RCOND, FERR, BERR, WORK, RWORK, INFO)
INTEGER           N, NRHS, LDA, LDAF, LDB, LDX, INFO
REAL (KIND=nag_wp) S(*), RCOND, FERR(NRHS), BERR(NRHS), RWORK(N)
COMPLEX (KIND=nag_wp) A(LDA,*), AF(LDAF,*), B(LDB,*), X(LDX,*),      &
                    WORK(2*N)
CHARACTER(1)     FACT, UPLO, EQUED

```

The routine may be called by its LAPACK name *zposvx*.

3 Description

F07FPF (ZPOSVX) performs the following steps:

1. If FACT = 'E', real diagonal scaling factors, D_S , are computed to equilibrate the system:

$$(D_S A D_S)(D_S^{-1} X) = D_S B.$$

Whether or not the system will be equilibrated depends on the scaling of the matrix A , but if equilibration is used, A is overwritten by $D_S A D_S$ and B by $D_S B$.

2. If FACT = 'N' or 'E', the Cholesky decomposition is used to factor the matrix A (after equilibration if FACT = 'E') as $A = U^H U$ if UPLO = 'U' or $A = LL^H$ if UPLO = 'L', where U is an upper triangular matrix and L is a lower triangular matrix.
3. If the leading i by i principal minor of A is not positive definite, then the routine returns with INFO = i . Otherwise, the factored form of A is used to estimate the condition number of the matrix A . If the reciprocal of the condition number is less than *machine precision*, INFO = $N + 1$ is returned as a warning, but the routine still goes on to solve for X and compute error bounds as described below.
4. The system of equations is solved for X using the factored form of A .
5. Iterative refinement is applied to improve the computed solution matrix and to calculate error bounds and backward error estimates for it.
6. If equilibration was used, the matrix X is premultiplied by D_S so that it solves the original system before equilibration.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

Higham N J (2002) *Accuracy and Stability of Numerical Algorithms* (2nd Edition) SIAM, Philadelphia

5 Arguments

- 1: FACT – CHARACTER(1) *Input*
On entry: specifies whether or not the factorized form of the matrix A is supplied on entry, and if not, whether the matrix A should be equilibrated before it is factorized.
 FACT = 'F'
 AF contains the factorized form of A . If EQUED = 'Y', the matrix A has been equilibrated with scaling factors given by S . A and AF will not be modified.
 FACT = 'N'
 The matrix A will be copied to AF and factorized.
 FACT = 'E'
 The matrix A will be equilibrated if necessary, then copied to AF and factorized.
Constraint: FACT = 'F', 'N' or 'E'.
- 2: UPLO – CHARACTER(1) *Input*
On entry: if UPLO = 'U', the upper triangle of A is stored.
 If UPLO = 'L', the lower triangle of A is stored.
Constraint: UPLO = 'U' or 'L'.
- 3: N – INTEGER *Input*
On entry: n , the number of linear equations, i.e., the order of the matrix A .
Constraint: $N \geq 0$.
- 4: NRHS – INTEGER *Input*
On entry: r , the number of right-hand sides, i.e., the number of columns of the matrix B .
Constraint: NRHS ≥ 0 .
- 5: A(LDA,*) – COMPLEX (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the n by n Hermitian matrix A .
 If FACT = 'F' and EQUED = 'Y', A must have been equilibrated by the scaling factor in S as $D_S A D_S$.
 If UPLO = 'U', the upper triangular part of A must be stored and the elements of the array below the diagonal are not referenced.
 If UPLO = 'L', the lower triangular part of A must be stored and the elements of the array above the diagonal are not referenced.
On exit: if FACT = 'F' or 'N', or if FACT = 'E' and EQUED = 'N', A is not modified.
 If FACT = 'E' and EQUED = 'Y', A is overwritten by $D_S A D_S$.

- 6: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F07FPF (ZPOSVX) is called.
Constraint: $LDA \geq \max(1, N)$.
- 7: AF(LDAF, *) – COMPLEX (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array AF must be at least $\max(1, N)$.
On entry: if FACT = 'F', AF contains the triangular factor U or L from the Cholesky factorization $A = U^H U$ or $A = LL^H$, in the same storage format as A. If EQUED \neq 'N', AF is the factorized form of the equilibrated matrix $D_S A D_S$.
On exit: if FACT = 'N', AF returns the triangular factor U or L from the Cholesky factorization $A = U^H U$ or $A = LL^H$ of the original matrix A.
 If FACT = 'E', AF returns the triangular factor U or L from the Cholesky factorization $A = U^H U$ or $A = LL^H$ of the equilibrated matrix A (see the description of A for the form of the equilibrated matrix).
- 8: LDAF – INTEGER *Input*
On entry: the first dimension of the array AF as declared in the (sub)program from which F07FPF (ZPOSVX) is called.
Constraint: $LDAF \geq \max(1, N)$.
- 9: EQUED – CHARACTER(1) *Input/Output*
On entry: if FACT = 'N' or 'E', EQUED need not be set.
 If FACT = 'F', EQUED must specify the form of the equilibration that was performed as follows:
 if EQUED = 'N', no equilibration;
 if EQUED = 'Y', equilibration was performed, i.e., A has been replaced by $D_S A D_S$.
On exit: if FACT = 'F', EQUED is unchanged from entry.
 Otherwise, if no constraints are violated, EQUED specifies the form of the equilibration that was performed as specified above.
Constraint: if FACT = 'F', EQUED = 'N' or 'Y'.
- 10: S(*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the dimension of the array S must be at least $\max(1, N)$.
On entry: if FACT = 'N' or 'E', S need not be set.
 If FACT = 'F' and EQUED = 'Y', S must contain the scale factors, D_S , for A; each element of S must be positive.
On exit: if FACT = 'F', S is unchanged from entry.
 Otherwise, if no constraints are violated and EQUED = 'Y', S contains the scale factors, D_S , for A; each element of S is positive.
- 11: B(LDB, *) – COMPLEX (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array B must be at least $\max(1, NRHS)$.
On entry: the n by r right-hand side matrix B.
On exit: if EQUED = 'N', B is not modified.
 If EQUED = 'Y', B is overwritten by $D_S B$.

- 12: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F07FPF (ZPOSVX) is called.
Constraint: $LDB \geq \max(1, N)$.
- 13: X(LDX, *) – COMPLEX (KIND=nag_wp) array *Output*
Note: the second dimension of the array X must be at least $\max(1, NRHS)$.
On exit: if INFO = 0 or N + 1, the n by r solution matrix X to the original system of equations. Note that the arrays A and B are modified on exit if EQUED = 'Y', and the solution to the equilibrated system is $D_S^{-1}X$.
- 14: LDX – INTEGER *Input*
On entry: the first dimension of the array X as declared in the (sub)program from which F07FPF (ZPOSVX) is called.
Constraint: $LDX \geq \max(1, N)$.
- 15: RCOND – REAL (KIND=nag_wp) *Output*
On exit: if no constraints are violated, an estimate of the reciprocal condition number of the matrix A (after equilibration if that is performed), computed as $RCOND = 1.0 / \left(\|A\|_1 \|A^{-1}\|_1 \right)$.
- 16: FERR(NRHS) – REAL (KIND=nag_wp) array *Output*
On exit: if INFO = 0 or N + 1, an estimate of the forward error bound for each computed solution vector, such that $\|\hat{x}_j - x_j\|_\infty / \|x_j\|_\infty \leq FERR(j)$ where \hat{x}_j is the j th column of the computed solution returned in the array X and x_j is the corresponding column of the exact solution X . The estimate is as reliable as the estimate for RCOND, and is almost always a slight overestimate of the true error.
- 17: BERR(NRHS) – REAL (KIND=nag_wp) array *Output*
On exit: if INFO = 0 or N + 1, an estimate of the component-wise relative backward error of each computed solution vector \hat{x}_j (i.e., the smallest relative change in any element of A or B that makes \hat{x}_j an exact solution).
- 18: WORK(2 × N) – COMPLEX (KIND=nag_wp) array *Workspace*
- 19: RWORK(N) – REAL (KIND=nag_wp) array *Workspace*
- 20: INFO – INTEGER *Output*
On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

INFO < 0

If INFO = $-i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO > 0 and INFO ≤ N

The leading minor of order $\langle value \rangle$ of A is not positive definite, so the factorization could not be completed, and the solution has not been computed. RCOND = 0.0 is returned.

INFO = N + 1

U (or L) is nonsingular, but RCOND is less than *machine precision*, meaning that the matrix is singular to working precision. Nevertheless, the solution and error bounds are computed because there are a number of situations where the computed solution can be more accurate than the value of RCOND would suggest.

7 Accuracy

For each right-hand side vector b , the computed solution x is the exact solution of a perturbed system of equations $(A + E)x = b$, where

if UPLO = 'U', $|E| \leq c(n)\epsilon|U^H||U|$;

if UPLO = 'L', $|E| \leq c(n)\epsilon|L||L^H|$,

$c(n)$ is a modest linear function of n , and ϵ is the *machine precision*. See Section 10.1 of Higham (2002) for further details.

If \hat{x} is the true solution, then the computed solution x satisfies a forward error bound of the form

$$\frac{\|x - \hat{x}\|_\infty}{\|\hat{x}\|_\infty} \leq w_c \text{cond}(A, \hat{x}, b)$$

where $\text{cond}(A, \hat{x}, b) = \frac{\| |A^{-1}|(|A||\hat{x}| + |b|) \|_\infty}{\|\hat{x}\|_\infty} \leq \text{cond}(A) = \| |A^{-1}| |A| \|_\infty \leq \kappa_\infty(A)$. If \hat{x} is the j th column of X , then w_c is returned in BERR(j) and a bound on $\|x - \hat{x}\|_\infty / \|\hat{x}\|_\infty$ is returned in FERR(j). See Section 4.4 of Anderson *et al.* (1999) for further details.

8 Parallelism and Performance

F07FPF (ZPOSVX) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

F07FPF (ZPOSVX) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The factorization of A requires approximately $\frac{4}{3}n^3$ floating-point operations.

For each right-hand side, computation of the backward error involves a minimum of $16n^2$ floating-point operations. Each step of iterative refinement involves an additional $24n^2$ operations. At most five steps of iterative refinement are performed, but usually only one or two steps are required. Estimating the forward error involves solving a number of systems of equations of the form $Ax = b$; the number is usually 4 or 5 and never more than 11. Each solution involves approximately $8n^2$ operations.

The real analogue of this routine is F07FBF (DPOSVX).

10 Example

This example solves the equations

$$AX = B,$$

where A is the Hermitian positive definite matrix

$$A = \begin{pmatrix} 3.23 & 1.51 - 1.92i & 1.90 + 0.84i & 0.42 + 2.50i \\ 1.51 + 1.92i & 3.58 & -0.23 + 1.11i & -1.18 + 1.37i \\ 1.90 - 0.84i & -0.23 - 1.11i & 4.09 & 2.33 - 0.14i \\ 0.42 - 2.50i & -1.18 - 1.37i & 2.33 + 0.14i & 4.29 \end{pmatrix}$$

and

$$B = \begin{pmatrix} 3.93 - 6.14i & 1.48 + 6.58i \\ 6.17 + 9.42i & 4.64 - 4.75i \\ -7.17 - 21.83i & -4.91 + 2.29i \\ 1.99 - 14.38i & 7.64 - 10.79i \end{pmatrix}.$$

Error estimates for the solutions, information on equilibration and an estimate of the reciprocal of the condition number of the scaled matrix A are also output.

10.1 Program Text

Program f07fpfe

```

!      F07FPF Example Program Text
!
!      Mark 26 Release. NAG Copyright 2016.
!
!      .. Use Statements ..
!      Use nag_library, Only: nag_wp, x04dbf, zposvx
!      .. Implicit None Statement ..
!      Implicit None
!      .. Parameters ..
!      Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
!      Real (Kind=nag_wp)         :: rcond
!      Integer                    :: i, ifail, info, lda, ldaf, ldb, ldx, &
!                                n, nrhs
!      Character (1)              :: equed
!      .. Local Arrays ..
!      Complex (Kind=nag_wp), Allocatable :: a(:,,:), af(:,,:), b(:,,:), work(:), &
!                                x(:,,:)
!      Real (Kind=nag_wp), Allocatable :: berr(:), ferr(:), rwork(:), s(:)
!      Character (1)                  :: clabs(1), rlabs(1)
!      .. Executable Statements ..
!      Write (nout,*) 'F07FPF Example Program Results'
!      Write (nout,*)
!      Flush (nout)
!      Skip heading in data file
!      Read (nin,*)
!      Read (nin,*) n, nrhs
!      lda = n
!      ldaf = n
!      ldb = n
!      ldx = n
!      Allocate (a(lda,n),af(ldaf,n),b(ldb,nrhs),work(2*n),x(ldx,nrhs), &
!                berr(nrhs),ferr(nrhs),rwork(n),s(n))
!
!      Read the upper triangular part of A from data file
!
!      Read (nin,*)(a(i,i:n),i=1,n)
!
!      Read B from data file
!
!      Read (nin,*)(b(i,1:nrhs),i=1,n)
!
!      Solve the equations AX = B for X
!      The NAG name equivalent of zposvx is f07fpf
!      Call zposvx('Equilibration','Upper',n,nrhs,a,lda,af,ldaf,equed,s,b,ldb, &
!                x,ldx,rcond,ferr,berr,work,rwork,info)
!
!      If ((info==0) .Or. (info==n+1)) Then

```

```

!      Print solution, error bounds, condition number and the form
!      of equilibration

!      ifail: behaviour on error exit
!      =0 for hard exit, =1 for quiet-soft, =-1 for noisy-soft
ifail = 0
Call x04dbf('General',' ',n,nrhs,x,ldx,'Bracketed','F7.4',      &
           'Solution(s)','Integer',rlabs,'Integer',clabs,80,0,ifail)

Write (nout,*)
Write (nout,*) 'Backward errors (machine-dependent)'
Write (nout,99999) berr(1:nrhs)
Write (nout,*)
Write (nout,*) 'Estimated forward error bounds (machine-dependent)'
Write (nout,99999) ferr(1:nrhs)
Write (nout,*)
Write (nout,*) 'Estimate of reciprocal condition number'
Write (nout,99999) rcond
Write (nout,*)
If (equed=='N') Then
  Write (nout,*) 'A has not been equilibrated'
Else If (equed=='Y') Then
  Write (nout,*)      &
    'A has been row and column scaled as diag(S)*A*diag(S)'
End If

If (info==n+1) Then
  Write (nout,*)
  Write (nout,*) 'The matrix A is singular to working precision'
End If
Else
  Write (nout,99998) 'The leading minor of order ', info,      &
    ' is not positive definite'
End If

99999 Format ((3X,1P,7E11.1))
99998 Format (1X,A,I3,A)
End Program f07fpfe

```

10.2 Program Data

F07FPF Example Program Data

```

4      2      :Values of N and NRHS
( 3.23,  0.00) ( 1.51, -1.92) ( 1.90,  0.84) ( 0.42,  2.50)
           ( 3.58,  0.00) (-0.23,  1.11) (-1.18,  1.37)
           ( 4.09,  0.00) ( 2.33, -0.14)
           ( 4.29,  0.00) :End of matrix A

( 3.93, -6.14) ( 1.48,  6.58)
( 6.17,  9.42) ( 4.65, -4.75)
(-7.17,-21.83) (-4.91,  2.29)
( 1.99,-14.38) ( 7.64,-10.79)      :End of matrix B

```

10.3 Program Results

F07FPF Example Program Results

Solution(s)

```

           1           2
1 ( 1.0000,-1.0000) (-1.0000, 2.0000)
2 (-0.0000, 3.0000) ( 3.0000,-4.0000)
3 (-4.0000,-5.0000) (-2.0000, 3.0000)
4 ( 2.0000, 1.0000) ( 4.0000,-5.0000)

```

Backward errors (machine-dependent)

```

5.9E-17    4.8E-17

```

Estimated forward error bounds (machine-dependent)

```

6.0E-14    7.2E-14

```

Estimate of reciprocal condition number
6.6E-03

A has not been equilibrated
