

NAG Toolbox

nag_lapack_dggesx (f08xb)

1 Purpose

nag_lapack_dggesx (f08xb) computes the generalized eigenvalues, the generalized real Schur form (S, T) and, optionally, the left and/or right generalized Schur vectors for a pair of n by n real nonsymmetric matrices (A, B) .

Estimates of condition numbers for selected generalized eigenvalue clusters and Schur vectors are also computed.

2 Syntax

```
[a, b, sdim, alphai, alphai, beta, vsl, vsr, rconde, rcondv, info] =
nag_lapack_dggesx(jobvsl, jobvsr, sort, selctg, sense, a, b, 'n', n)

[a, b, sdim, alphai, alphai, beta, vsl, vsr, rconde, rcondv, info] = f08xb
(jobvsl, jobvsr, sort, selctg, sense, a, b, 'n', n)
```

3 Description

The generalized real Schur factorization of (A, B) is given by

$$A = QSZ^T, \quad B = QTZ^T,$$

where Q and Z are orthogonal, T is upper triangular and S is upper quasi-triangular with 1 by 1 and 2 by 2 diagonal blocks. The generalized eigenvalues, λ , of (A, B) are computed from the diagonals of T and S and satisfy

$$Az = \lambda Bz,$$

where z is the corresponding generalized eigenvector. λ is actually returned as the pair (α, β) such that

$$\lambda = \alpha/\beta$$

since β , or even both α and β can be zero. The columns of Q and Z are the left and right generalized Schur vectors of (A, B) .

Optionally, nag_lapack_dggesx (f08xb) can order the generalized eigenvalues on the diagonals of (S, T) so that selected eigenvalues are at the top left. The leading columns of Q and Z then form an orthonormal basis for the corresponding eigenspaces, the deflating subspaces.

nag_lapack_dggesx (f08xb) computes T to have non-negative diagonal elements, and the 2 by 2 blocks of S correspond to complex conjugate pairs of generalized eigenvalues. The generalized Schur factorization, before reordering, is computed by the QZ algorithm.

The reciprocals of the condition estimates, the reciprocal values of the left and right projection norms, are returned in **rconde**(1) and **rconde**(2) respectively, for the selected generalized eigenvalues, together with reciprocal condition estimates for the corresponding left and right deflating subspaces, in **rcondv**(1) and **rcondv**(2). See Section 4.11 of Anderson *et al.* (1999) for further information.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Parameters

5.1 Compulsory Input Parameters

1: **jobvsl** – CHARACTER(1)

If **jobvsl** = 'N', do not compute the left Schur vectors.

If **jobvsl** = 'V', compute the left Schur vectors.

Constraint: **jobvsl** = 'N' or 'V'.

2: **jobvsr** – CHARACTER(1)

If **jobvsr** = 'N', do not compute the right Schur vectors.

If **jobvsr** = 'V', compute the right Schur vectors.

Constraint: **jobvsr** = 'N' or 'V'.

3: **sort** – CHARACTER(1)

Specifies whether or not to order the eigenvalues on the diagonal of the generalized Schur form.

sort = 'N'

Eigenvalues are not ordered.

sort = 'S'

Eigenvalues are ordered (see **selctg**).

Constraint: **sort** = 'N' or 'S'.

4: **selctg** – LOGICAL FUNCTION, supplied by the user.

If **sort** = 'S', **selctg** is used to select generalized eigenvalues to the top left of the generalized Schur form.

If **sort** = 'N', **selctg** is not referenced by nag_lapack_dggesx (f08xb), and may be called with the string 'f08xaz'.

```
[result] = selctg(ar, ai, b)
```

Input Parameters

1: **ar** – REAL (KIND=nag_wp)

2: **ai** – REAL (KIND=nag_wp)

3: **b** – REAL (KIND=nag_wp)

An eigenvalue $(\mathbf{ar}(j) + \sqrt{-1} \times \mathbf{ai}(j)) / \mathbf{b}(j)$ is selected if **selctg(ar(j), ai(j), b(j))** is true. If either one of a complex conjugate pair is selected, then both complex generalized eigenvalues are selected.

Note that in the ill-conditioned case, a selected complex generalized eigenvalue may no longer satisfy **selctg(ar(j), ai(j), b(j))** = true after ordering. **info** = **n** + 2 in this case.

Output Parameters

1: **result**

result = true for selected eigenvalues.

5: **sense** – CHARACTER(1)

Determines which reciprocal condition numbers are computed.

sense = 'N'

None are computed.

sense = 'E'
 Computed for average of selected eigenvalues only.

sense = 'V'
 Computed for selected deflating subspaces only.

sense = 'B'
 Computed for both.

If **sense** = 'E', 'V' or 'B', **sort** = 'S'.

Constraint: **sense** = 'N', 'E', 'V' or 'B'.

6: **a**(*lda*, :) – REAL (KIND=nag_wp) array

The first dimension of the array **a** must be at least max(1, **n**).

The second dimension of the array **a** must be at least max(1, **n**).

The first of the pair of matrices, *A*.

7: **b**(*ldb*, :) – REAL (KIND=nag_wp) array

The first dimension of the array **b** must be at least max(1, **n**).

The second dimension of the array **b** must be at least max(1, **n**).

The second of the pair of matrices, *B*.

5.2 Optional Input Parameters

1: **n** – INTEGER

Default: the first dimension of the arrays **a**, **b** and the second dimension of the arrays **a**, **b**. (An error is raised if these dimensions are not equal.)

n, the order of the matrices *A* and *B*.

Constraint: **n** ≥ 0 .

5.3 Output Parameters

1: **a**(*lda*, :) – REAL (KIND=nag_wp) array

The first dimension of the array **a** will be max(1, **n**).

The second dimension of the array **a** will be max(1, **n**).

a stores its generalized Schur form *S*.

2: **b**(*ldb*, :) – REAL (KIND=nag_wp) array

The first dimension of the array **b** will be max(1, **n**).

The second dimension of the array **b** will be max(1, **n**).

b stores its generalized Schur form *T*.

3: **sdim** – INTEGER

If **sort** = 'N', **sdim** = 0.

If **sort** = 'S', **sdim** = number of eigenvalues (after sorting) for which **selectg** is true. (Complex conjugate pairs for which **selectg** is true for either eigenvalue count as 2.)

4: **alphar(n)** – REAL (KIND=nag_wp) array

See the description of **beta**.

5: **alphai(n)** – REAL (KIND=nag_wp) array

See the description of **beta**.

6: **beta(n)** – REAL (KIND=nag_wp) array

$(\text{alphar}(j) + \text{alphai}(j) \times i) / \text{beta}(j)$, for $j = 1, 2, \dots, n$, will be the generalized eigenvalues. $\text{alphar}(j) + \text{alphai}(j) \times i$, and **beta(j)**, for $j = 1, 2, \dots, n$, are the diagonals of the complex Schur form (S, T) that would result if the 2 by 2 diagonal blocks of the real Schur form of (A, B) were further reduced to triangular form using 2 by 2 complex unitary transformations.

If **alphai(j)** is zero, then the j th eigenvalue is real; if positive, then the j th and $(j+1)$ st eigenvalues are a complex conjugate pair, with **alphai(j+1)** negative.

Note: the quotients **alphar(j)/beta(j)** and **alphai(j)/beta(j)** may easily overflow or underflow, and **beta(j)** may even be zero. Thus, you should avoid naively computing the ratio α/β . However, **alphar** and **alphai** will always be less than and usually comparable with $\|\mathbf{a}\|_2$ in magnitude, and **beta** will always be less than and usually comparable with $\|\mathbf{b}\|_2$.

7: **vsl(ldvsl,:)** – REAL (KIND=nag_wp) array

The first dimension, *ldvsl*, of the array **vsl** will be

```
if jobvsl = 'V', ldvsl = max(1,n);
otherwise ldvsl = 1.
```

The second dimension of the array **vsl** will be $\max(1, n)$ if **jobvsl** = 'V' and 1 otherwise.

If **jobvsl** = 'V', **vsl** will contain the left Schur vectors, Q .

If **jobvsl** = 'N', **vsl** is not referenced.

8: **vsr(ldvsr,:)** – REAL (KIND=nag_wp) array

The first dimension, *ldvsr*, of the array **vsr** will be

```
if jobvsr = 'V', ldvsr = max(1,n);
otherwise ldvsr = 1.
```

The second dimension of the array **vsr** will be $\max(1, n)$ if **jobvsr** = 'V' and 1 otherwise.

If **jobvsr** = 'V', **vsr** will contain the right Schur vectors, Z .

If **jobvsr** = 'N', **vsr** is not referenced.

9: **rconde(2)** – REAL (KIND=nag_wp) array

If **sense** = 'E' or 'B', **rconde(1)** and **rconde(2)** contain the reciprocal condition numbers for the average of the selected eigenvalues.

If **sense** = 'N' or 'V', **rconde** is not referenced.

10: **rcondv(2)** – REAL (KIND=nag_wp) array

If **sense** = 'V' or 'B', **rcondv(1)** and **rcondv(2)** contain the reciprocal condition numbers for the selected deflating subspaces.

If **sense** = 'N' or 'E', **rcondv** is not referenced.

11: **info** – INTEGER

info = 0 unless the function detects an error (see Section 6).

6 Error Indicators and Warnings

info = $-i$

If **info** = $-i$, parameter i had an illegal value on entry. The parameters are numbered as follows:

1: **jobvsl**, 2: **jobvsr**, 3: **sort**, 4: **seletg**, 5: **sense**, 6: **n**, 7: **a**, 8: **lda**, 9: **b**, 10: **ldb**, 11: **sdim**, 12: **alphar**, 13: **alphai**, 14: **beta**, 15: **vsl**, 16: **ldvsl**, 17: **vsr**, 18: **ldvsr**, 19: **rconde**, 20: **rcondv**, 21: **work**, 22: **lwork**, 23: **iwork**, 24: **liwork**, 25: **bwork**, 26: **info**.

It is possible that **info** refers to a parameter that is omitted from the MATLAB interface. This usually indicates that an error in one of the other input parameters has caused an incorrect value to be inferred.

info = 1 to **n** (*warning*)

The QZ iteration failed. (A, B) are not in Schur form, but **alphar**(j), **alphai**(j), and **beta**(j) should be correct for $j = \text{info} + 1, \dots, n$.

info = **n** + 1

Unexpected error returned from nag_lapack_dhgeqz (f08xe).

info = **n** + 2 (*warning*)

After reordering, roundoff changed values of some complex eigenvalues so that leading eigenvalues in the generalized Schur form no longer satisfy **seletg** = *true*. This could also be caused by underflow due to scaling.

info = **n** + 3 (*warning*)

The eigenvalues could not be reordered because some eigenvalues were too close to separate (the problem is very ill-conditioned).

7 Accuracy

The computed generalized Schur factorization satisfies

$$A + E = QSZ^T, \quad B + F = QTZ^T,$$

where

$$\|(E, F)\|_F = O(\epsilon) \|(A, B)\|_F$$

and ϵ is the *machine precision*. See Section 4.11 of Anderson *et al.* (1999) for further details.

8 Further Comments

The total number of floating-point operations is proportional to n^3 .

The complex analogue of this function is nag_lapack_zggesx (f08xp).

9 Example

This example finds the generalized Schur factorization of the matrix pair (A, B) , where

$$A = \begin{pmatrix} 3.9 & 12.5 & -34.5 & -0.5 \\ 4.3 & 21.5 & -47.5 & 7.5 \\ 4.3 & 21.5 & -43.5 & 3.5 \\ 4.4 & 26.0 & -46.0 & 6.0 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} 1.0 & 2.0 & -3.0 & 1.0 \\ 1.0 & 3.0 & -5.0 & 4.0 \\ 1.0 & 3.0 & -4.0 & 3.0 \\ 1.0 & 3.0 & -4.0 & 4.0 \end{pmatrix},$$

such that the real positive eigenvalues of (A, B) correspond to the top left diagonal elements of the generalized Schur form, (S, T) . Estimates of the condition numbers for the selected eigenvalue cluster and corresponding deflating subspaces are also returned.

Note that the block size (NB) of 64 assumed in this example is not realistic for such a small problem, but should be suitable for large problems.

9.1 Program Text

```

function f08xb_example

fprintf('f08xb example results\n\n');

% Matrix pair (A,B)
A = [3.9, 12.5, -34.5, -0.5;
      4.3, 21.5, -47.5, 7.5;
      4.3, 21.5, -43.5, 3.5;
      4.4, 26.0, -46.0, 6.0];
B = [1, 2, -3, 1;
      1, 3, -5, 4;
      1, 3, -4, 3;
      1, 3, -4, 4];

% Generalized Schur form (S,T) of (A,B), generalized eigenvalues
% and Schur vectors Q and Z with sorting and selecting only
% real eigenvalues
jobvsl = 'Vectors (left)';
jobvsr = 'Vectors (right)';
sortp = 'Sort';
selctg = @(ar, ai, b) (ai == 0);
sense = 'Both reciprocal condition numbers';

[S, T, sdim, alphar, alphai, beta, VSL, VSR, rconde, rcondv, info] = ...
f08xb( ...
    jobvsl, jobvsr, sortp, selctg, sense, A, B);

fprintf('Number of selected eigenvalues = %4d\n\n', sdim);
disp('Selected generalized eigenvalues')
eigs = alphar./beta + i*alphai./beta;
disp(eigs(1:sdim));

fprintf('%s\n%s\n%s = %8.1e, %s = %8.1e\n\n', ...
    'Reciprocals of left and right projection norms onto', ...
    'the deflating subspaces for the selected eigenvalues', ...
    'rconde(1)', rconde(1), 'rconde(2)', rconde(2));
fprintf('%s\n%s\n%s = %8.1e, %s = %8.1e\n\n', ...
    'Reciprocals condition numbers for the left and right', ...
    'deflating subspaces', 'rcondv(1)', rcondv(1), ...
    'rcondv(2)', rcondv(2));

anorm = norm(A,2);
bnorm = norm(B,2);
abnorm = sqrt(anorm^2+bnorm^2);
fprintf('%s = %8.1e\n', ...
    'Approximate asymptotic error bound for selected eigenvalues ', ...
    x02aj*abnorm/rconde(1));
fprintf('%s = %8.1e\n', ...
    'Approximate asymptotic error bound for the deflating subspaces', ...
    x02aj*abnorm/rcondv(2));

```

9.2 Program Results

```

f08xb example results

Number of selected eigenvalues =      2

Selected generalized eigenvalues
  2.0000
  4.0000

Reciprocals of left and right projection norms onto
the deflating subspaces for the selected eigenvalues
rconde(1) =  1.9e-01, rconde(2) =  1.8e-02

```

Reciprocals condition numbers for the left and right
deflating subspaces
 $rcondv(1) = 5.4e-02$, $rcondv(2) = 9.0e-02$

Approximate asymptotic error bound for selected eigenvalues = $5.7e-14$
Approximate asymptotic error bound for the deflating subspaces = $1.2e-13$
