

NAG Library Function Document

nag_conjugate_complex (c06gcc)

1 Purpose

nag_conjugate_complex (c06gcc) forms the complex conjugate of a sequence of n data values.

2 Specification

```
#include <nag.h>
#include <nagc06.h>
void nag_conjugate_complex (Integer n, double y[], NagError *fail)
```

3 Description

This is a utility function for use in conjunction with nag_fft_complex (c06ecc) to calculate inverse discrete Fourier transforms.

4 References

None.

5 Arguments

- 1: **n** – Integer *Input*
On entry: n , the number of data values.
Constraint: $n \geq 1$.
- 2: **y[n]** – double *Input/Output*
On entry: $y[j]$ must contain the imaginary part of the j th data value, for $0 \leq j \leq n - 1$.
On exit: these values are negated.
- 3: **fail** – NagError * *Input/Output*
The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_INT_ARG_LT

On entry, $n = \langle value \rangle$.
Constraint: $n \geq 1$.

7 Accuracy

Exact.

8 Parallelism and Performance

Not applicable.

9 Further Comments

The time taken is negligible.

10 Example

This program reads in a sequence of complex data values and prints their inverse discrete Fourier transform as computed by calling `nag_conjugate_complex` (c06gcc), followed by `nag_fft_complex` (c06ecc) and `nag_conjugate_complex` (c06gcc) again.

10.1 Program Text

```

/* nag_conjugate_complex (c06gcc) Example Program.
 *
 * Copyright 1990 Numerical Algorithms Group.
 *
 * Mark 1, 1990.
 * Mark 8 revised, 2004.
 */

#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nagc06.h>

int main(void)
{
    Integer    exit_status = 0, j, n;
    NagError  fail;
    double     *x = 0, *y = 0;

    INIT_FAIL(fail);

    printf("nag_conjugate_complex (c06gcc) Example Program Results\n");
    /* Skip heading in data file */
    scanf("%*[^\\n]");
    while (scanf("%ld", &n) != EOF)
    {
        if (n > 1)
        {
            if (!(x = NAG_ALLOC(n, double)) ||
                !(y = NAG_ALLOC(n, double)))
            {
                printf("Allocation failure\n");
                exit_status = -1;
                goto END;
            }
        }
        else
        {
            printf("\nInvalid n.\n");
            exit_status = 1;
            return exit_status;
        }
        /* Read in complex data */
        for (j = 0; j < n; ++j)
            scanf("%lf%lf", &x[j], &y[j]);
        /* Compute inverse transform */
        /* Calculate conjugates of data */
        /* nag_conjugate_complex (c06gcc).
         * Complex conjugate of complex sequence
         */
        nag_conjugate_complex(n, y, &fail);
        if (fail.code != NE_NOERROR)
        {
            printf("Error from nag_conjugate_complex (c06gcc).\n%s\n",
                   fail.message);
            exit_status = 1;
        }
    }
}

```

```

        goto END;
    }

    /* Calculate transform of conjugated data */
    /* nag_fft_complex (c06ecc).
    * Single one-dimensional complex discrete Fourier transform
    */
    nag_fft_complex(n, x, y, &fail);
    if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_fft_complex (c06ecc).\n%s\n",
            fail.message);
        exit_status = 1;
        goto END;
    }

    /* Conjugate to give inverse transform */
    /* nag_conjugate_complex (c06gcc), see above. */
    nag_conjugate_complex(n, y, &fail);
    if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_conjugate_complex (c06gcc).\n%s\n",
            fail.message);
        exit_status = 1;
        goto END;
    }

    printf("\nComponents of inverse discrete Fourier transform\n");
    printf("\n      Real      Imag\n\n");
    for (j = 0; j < n; ++j)
        printf("%3ld %10.5f %10.5f\n", j, x[j], y[j]);
END:
    NAG_FREE(x);
    NAG_FREE(y);
}
return exit_status;
}

```

10.2 Program Data

nag_conjugate_complex (c06gcc) Example Program Data

```

7
0.34907 -0.37168
0.54890 -0.35669
0.74776 -0.31175
0.94459 -0.23702
1.13850 -0.13274
1.32850  0.00074
1.51370  0.16298

```

10.3 Program Results

nag_conjugate_complex (c06gcc) Example Program Results

Components of inverse discrete Fourier transform

| | Real | Imag |
|---|----------|----------|
| 0 | 2.48361 | -0.47100 |
| 1 | 0.01983 | -0.56496 |
| 2 | -0.14825 | -0.30840 |
| 3 | -0.22506 | -0.17477 |
| 4 | -0.28767 | -0.05865 |
| 5 | -0.36711 | 0.09756 |
| 6 | -0.55180 | 0.49684 |
