# NAG Library Routine Document S18ADF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of **bold italicised** terms and other implementation-dependent details.

## 1 Purpose

S18ADF returns the value of the modified Bessel function  $K_1(x)$ , via the function name.

# 2 Specification

FUNCTION S18ADF (X, IFAIL)
REAL (KIND=nag\_wp) S18ADF
INTEGER IFAIL
REAL (KIND=nag\_wp) X

# 3 Description

S18ADF evaluates an approximation to the modified Bessel function of the second kind  $K_1(x)$ .

**Note:**  $K_1(x)$  is undefined for  $x \le 0$  and the routine will fail for such arguments.

The routine is based on five Chebyshev expansions:

For  $0 < x \le 1$ ,

$$K_1(x) = \frac{1}{x} + x \ln x \sum_{r=0} a_r T_r(t) - x \sum_{r=0} b_r T_r(t),$$
 where  $t = 2x^2 - 1$ .

For  $1 < x \le 2$ ,

$$K_1(x) = e^{-x} \sum_{r=0} c_r T_r(t)$$
, where  $t = 2x - 3$ .

For  $2 < x \le 4$ ,

$$K_1(x) = e^{-x} \sum_{r=0} d_r T_r(t),$$
 where  $t = x - 3$ .

For x > 4,

$$K_1(x) = \frac{e^{-x}}{\sqrt{x}} \sum_{r=0} e_r T_r(t), \qquad \text{where } t = \frac{9-x}{1+x}.$$

For x near zero,  $K_1(x) \simeq \frac{1}{x}$ . This approximation is used when x is sufficiently small for the result to be correct to *machine precision*. For very small x on some machines, it is impossible to calculate  $\frac{1}{x}$  without overflow and the routine must fail.

For large x, where there is a danger of underflow due to the smallness of  $K_1$ , the result is set exactly to zero.

## 4 References

Abramowitz M and Stegun I A (1972) Handbook of Mathematical Functions (3rd Edition) Dover Publications

Mark 25 S18ADF.1

#### 5 Parameters

1: X - REAL (KIND=nag wp)

Input

On entry: the argument x of the function.

Constraint: X > 0.0.

2: IFAIL – INTEGER

Input/Output

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.

On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

# 6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

 $X \le 0.0$ ,  $K_1$  is undefined. On softfailure the routine returns zero.

IFAIL = 2

X is too small, there is a danger of overflow. On softfailure the routine returns approximately the largest representable value. (see the Users' Note for your implementation for details)

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.8 in the Essential Introduction for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.7 in the Essential Introduction for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.6 in the Essential Introduction for further information.

#### 7 Accuracy

Let  $\delta$  and  $\epsilon$  be the relative errors in the argument and result respectively.

If  $\delta$  is somewhat larger than the *machine precision* (i.e., if  $\delta$  is due to data errors etc.), then  $\epsilon$  and  $\delta$  are approximately related by:

$$\epsilon \simeq \left| \frac{xK_0(x) - K_1(x)}{K_1(x)} \right| \delta.$$

S18ADF.2 Mark 25

Figure 1 shows the behaviour of the error amplification factor

$$\left| \frac{xK_0(x) - K_1(x)}{K_1(x)} \right|.$$

However if  $\delta$  is of the same order as the *machine precision*, then rounding errors could make  $\epsilon$  slightly larger than the above relation predicts.

For small x,  $\epsilon \simeq \delta$  and there is no amplification of errors.

For large x,  $\epsilon \simeq x\delta$  and we have strong amplification of the relative error. Eventually  $K_1$ , which is asymptotically given by  $\frac{e^{-x}}{\sqrt{x}}$ , becomes so small that it cannot be calculated without underflow and hence the routine will return zero. Note that for large x the errors will be dominated by those of the standard function exp.




Figure 1

## 8 Parallelism and Performance

Not applicable.

### **9** Further Comments

None.

## 10 Example

This example reads values of the argument x from a file, evaluates the function at each value of x and prints the results.

## 10.1 Program Text

Program s18adfe

- ! S18ADF Example Program Text
- ! Mark 25 Release. NAG Copyright 2014.
- ! .. Use Statements ..

Mark 25 S18ADF.3

S18ADF NAG Library Manual

```
Use nag_library, Only: nag_wp, s18adf
      .. Implicit None Statement ..
     Implicit None
!
     .. Parameters ..
     Integer, Parameter
                                      :: nin = 5, nout = 6
     .. Local Scalars ..
     Real (Kind=nag_wp)
                                      :: x, y
                                       :: ifail, ioerr
     Integer
      .. Executable Statements ..
     Write (nout,*) 'S18ADF Example Program Results'
     Skip heading in data file
     Read (nin,*)
     Write (nout,*)
     Write (nout,*) '
                                     Υ'
                         X
     Write (nout,*)
data: Do
        Read (nin,*,Iostat=ioerr) x
        If (ioerr<0) Then
         Exit data
        End If
        ifail = -1
        y = s18adf(x,ifail)
        If (ifail<0) Then
         Exit data
        End If
        Write (nout, 99999) x, y
     End Do data
99999 Format (1X,1P,2E12.3)
   End Program s18adfe
10.2 Program Data
```


#### 10.3 Program Results

S18ADF Example Program Results

```
X Y

4.000E-01 2.184E+00
6.000E-01 1.303E+00
1.400E+00 3.208E-01
1.600E+00 2.406E-01
2.500E+00 7.389E-02
3.500E+00 2.224E-02
6.000E+00 1.344E-03
8.000E+00 1.554E-04
1.000E+01 1.865E-05
1.000E+00 0.000E+00
```

S18ADF.4 Mark 25



Mark 25 S18ADF.5 (last)